

SAFETY DATA SHEET

Print Date Jun-01-2015 We bring ink to life!

Revision Date May-31-2015 Revision Number

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product code Product name Product category

MMLES - CNL Mimaki SS2 Compatible Light Cyan 1302 Series Inkjet Ink

Other means of identification Synonyms

Recommended use of the chemical and restrictions on useRecommended usePrinting operations

None

Details of the supplier of the safety data sheet UNITED STATES

LiqueColor, Inc. 2108 Research Park Blvd. Norman, OK, 73069 Tel: 1-888-256-7446 www.liquecolor.com

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 4 - (H302)
Serious eye damage/eye irritation	Category 2 - (H319)

Label elements



Warning

Hazard Statements H302 - Harmful if swallowed H319 - Causes serious eye irritation

Hazards not otherwise classified (HNOC)

Combustible liquid.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Component	CAS-No	Weight %	Trade Secret	Note
Diethylene glycol diethyl ether	112-36-7	60 - 100	*	
Gamma Butyrolactone	96-48-0	10 - 30	*	
Ethylene glycol monobutyl ether acetate	112-07-2	1 - 5	*	

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice Eye Contact	Show this safety data sheet to the doctor in attendance. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops and persists.
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention.
Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Get medical attention immediately.
Ingestion	DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Most important symptoms and effects, both acute and delayed

None under normal use conditions.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and

waterways. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling	Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.
Conditions for safe storage, includi	ng any incompatibilities
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use. Keep out of the reach of children.
Incompatible Products	Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits

Component	ACGIH TLV
Ethylene glycol monobutyl ether acetate	TWA: 20 ppm
112-07-2	

Component	Ontario TWAEV
Ethylene glycol monobutyl ether acetate 112-07-2	TWA: 20 ppm

Appropriate engineering controls

Engineering Measures	Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are advised to consider national Occupational Exposure Limits or other equivalent values. In case of insufficient ventilation, wear suitable respiratory equipment.
Individual protection measures, su	ch as personal protective equipment
Eye/face Protection	Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Wear suitable face shield. Ensure that eyewash stations and safety showers are close to the workstation location.
Skin Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical Physical State Odor	<u>and chemical properties</u> Liquid Characteristic	Appearance Odor Threshold	Colored Liquid No information available
Property pH Melting point/freezing point Boiling point/Boiling Range Flash Point Evaporation rate	<u>Values</u> > 149 °C / 300 °F 71 °C / 160 °F	<u>Remarks 。 Method</u> No data available No data available Tag closed cup (Mi No data available	
Flammability Limit in Air Upper flammability limit Lower flammability limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octanol Autoignition Temperature Decomposition temperature Kinematic viscosity Dynamic viscosity	0.96 /water	No data available No data available	
Explosive Properties Oxidizing Properties	No data available No data available		
<u>Other Information</u> Photochemically Reactive Weight Per Gallon (Ibs/gal)	No 8.04		
VOC by weight % (less water) 96.44	VOC by volume % (less water) No information available	VOC lbs/gal (less water) 7.76	VOC grams/liter (less water) 929.5

10. STABILITY AND REACTIVITY

Reactivity

No information available.

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

Eye Contact Skin Contact		
Skin Contact	There is no data for this product.	
	There is no data for this product.	
Ingestion	There is no data for this product.	
Component		Oral LD50
Gamma Butyrolactone		1540 mg/kg (Rat)
96-48-0		
Ethylene glycol monobutyl ether acetate 112-07-2		1600 mg/kg (Rat)
Component		LD50 Dermal
Ethylene glycol monobutyl ether acetate 112-07-2		1480 mg/kg (Rabbit)
Component		Inhalation LC50
Gamma Butyrolactone		>2.68 mg/L (Rat)4 h
96-48-0		
Information on toxicological effect	<u>S</u>	
Symptoms	There is no data for this product.	
Delayed and immediate effects as	well as chronic effects from shor	rt and long-term exposure
Skin corrosion/irritation	There is no data for this product.	
	There is no data for this product.	
Eye damage/irritation	There is no data for this product. There is no data for this product.	
Eye damage/irritation Irritation		
Eye damage/irritation Irritation Corrosivity	There is no data for this product.	
Eye damage/irritation Irritation Corrosivity Sensitisation	There is no data for this product. There is no data for this product.	
Eye damage/irritation Irritation Corrosivity Sensitisation Mutagenic Effects	There is no data for this product. There is no data for this product. There is no data for this product.	
Eye damage/irritation Irritation Corrosivity Sensitisation Mutagenic Effects Reproductive Effects	There is no data for this product. There is no data for this product.	
Eye damage/irritation Irritation Corrosivity Sensitisation Mutagenic Effects Reproductive Effects STOT - single exposure	There is no data for this product. There is no data for this product.	
Eye damage/irritation Irritation Corrosivity Sensitisation Mutagenic Effects Reproductive Effects STOT - single exposure STOT - repeated exposure	There is no data for this product. There is no data for this product.	
Eye damage/irritation Irritation Corrosivity Sensitisation Mutagenic Effects Reproductive Effects STOT - single exposure STOT - repeated exposure Chronic Toxicity	There is no data for this product. There is no data for this product.	
Eye damage/irritation Irritation Corrosivity Sensitisation Mutagenic Effects Reproductive Effects STOT - single exposure STOT - repeated exposure Chronic Toxicity Aspiration hazard	There is no data for this product. There is no data for this product.	
Eye damage/irritation Irritation Corrosivity Sensitisation Mutagenic Effects Reproductive Effects STOT - single exposure STOT - repeated exposure Chronic Toxicity Aspiration hazard Carcinogenicity Component Ethylene glycol monobutyl ether acetate	There is no data for this product. There is no data for this product.	

There is no data for this product.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	5,956.00 mg/kg
ATEmix (dermal)	105,114.00 mg/kg mg/l
ATEmix (inhalation-dust/mist)	106.50 mg/l
ATEmix (inhalation-vapor)	781.00 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity None known

0.04% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants
Gamma Butyrolactone	72h EC50 Desmodesmus subspicatus: 360 mg/L

96-48-0	96h EC50 Desmodesmus subspicatus: 79 mg/L
Ethylene glycol monobutyl ether acetate	72h EC50 Desmodesmus subspicatus: >500 mg/L
112-07-2	
Component	Fish
Gamma Butyrolactone	96h LC50 Leuciscus idus: 220 - 460 mg/L [static]
96-48-0	
Component	Crustacea
Gamma Butyrolactone	48h EC50 Daphnia magna Straus: >500 mg/L
96-48-0	

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Component	Partition coefficient
Gamma Butyrolactone 96-48-0	-0.566
Ethylene glycol monobutyl ether acetate 112-07-2	1.51

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods		
Waste Disposal Methods	Contain and dispose of waste according to local regulations.	
Contaminated Packaging Empty containers should be taken to an approved waste handling site for recyclin disposal.		
	14. TRANSPORT INFORMATION	
DOT Proper Shipping Name	Not regulated Printing Ink	

 ICAO / IATA / IMDG / IMO
 Not Regulated

 Proper Shipping Name
 Printing Ink

15. REGULATORY INFORMATION

International Inventories

All components are listed on the TSCA Inventory. For further information, please contact:. Supplier (manufacturer/importer/downstream user/distributor).

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Diethylene glycol diethyl ether	112-36-7	60 - 100	1.0
Ethylene glycol monobutyl ether acetate	112-07-2	1 - 5	1.0

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air

Act:.

Component	CAS-No	Weight %
Diethylene glycol diethyl ether	112-36-7	60 - 100
Ethylene glycol monobutyl ether acetate	112-07-2	1 - 5

U.S. State Regulations

Component	New Jersey Right To Know
Diethylene glycol diethyl ether 112-36-7	x
Ethylene glycol monobutyl ether acetate 112-07-2	x

Component	Pennsylvania Right To Know
Diethylene glycol diethyl ether 112-36-7	Х
Ethylene glycol monobutyl ether acetate 112-07-2	X

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects

<u>Canada</u>

Component	NPRI - National Pollutant Release Inventory
Diethylene glycol diethyl ether 112-36-7	Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999
Gamma Butyrolactone 96-48-0	Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999
Ethylene glycol monobutyl ether acetate 112-07-2	Part 5, Other Groups and Mixtures Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999

16. OTHER INFORMATION

HMIS:	Health	Flammability	Reactivity	Personal Protection
	3 *	2	0	Х

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION			
TŴĂ	TWA (time-weighted average)		
STEL	STEL (Short Term Exposure Limit)		
Ceiling	Maximum limit value		

ACGIH: (American Conference of Governmental Industrial Hygienists) A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A3 - Animal Carcinogen IARC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans MTP: (National Toxicity Program) Known - Known Carcinogen Reasonably Anticipated to be a Human Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Revision Date

May-31-2015

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS