

# SAFETY DATA SHEET

Print Date Jun-24-2015 We bring ink to life!

Revision Date Jun-24-2015 Revision Number

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product code Product name

Product category

RMLES - BK Roland Eco-Sol Compatible Black Ink Product

Other means of identification Synonyms

Recommended use of the chemical and restrictions on useRecommended usePrinting operations

None

# Details of the supplier of the safety data sheet

UNITED STATES LiqueColor, Inc. 2108 Research Park Blvd. Norman, OK, 73069 Tel: 1-888-256-7446 www.liquecolor.com

# 2. HAZARDS IDENTIFICATION

### Classification

Acute toxicity - Inhalation (Vapors)	Category 4 - (H332)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Serious eye damage/eye irritation	Category 2 - (H319)

### Label elements



Warning

Hazard Statements

H319 - Causes serious eye irritation H332 - Harmful if inhaled

Hazards not otherwise classified (HNOC)

May be harmful if swallowed. May be harmful in contact with skin. Combustible liquid.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### Mixture

Component	CAS-No	Weight %	Trade Secret	Note
Diethylene glycol diethyl ether	112-36-7	30 - 60	*	
Gamma Butyrolactone	96-48-0	10 - 30	*	
Ethylene glycol monobutyl ether acetate	112-07-2	5 - 10	*	
Triethylene glycol monobutyl ether	143-22-6	1 - 5	*	
Dimethyl Succinate	106-65-0	1 - 5	*	
Carbon black	1333-86-4	1 - 5	*	
Dimethyl Glutarate	1119-40-0	1 - 5	*	

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### **4. FIRST AID MEASURES**

### **Description of first aid measures**

General Advice Eye Contact	Show this safety data sheet to the doctor in attendance. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops and persists.
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention.
Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Get medical attention immediately.
Ingestion	DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Most important symptoms and effects, both acute and delayed None under normal use conditions.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

<u>Suitable Extinguishing Media</u> Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **Unsuitable Extinguishing Media**

No information available.

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

### Personal Precautions

Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

### Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

HandlingUse personal protective equipment as required. Do not eat, drink or smoke when using this<br/>product. Ensure adequate ventilation.

### Conditions for safe storage, including any incompatibilities

StorageKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from<br/>open flames, hot surfaces and sources of ignition. Keep container closed when not in use.<br/>Keep out of the reach of children.

Incompatible Products

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### Exposure limits

Component	ACGIH TLV
Ethylene glycol monobutyl ether acetate	TWA: 20 ppm
112-07-2	
Carbon black	TWA: 3 mg/m <sup>3</sup> (inhalable fraction)
1333-86-4	
Component	OSUA DEL

Component	OSHA PEL
Carbon black	TWA: 3.5 mg/㎡
1333-86-4	_

Ontario TWAEV
TWA: 20 ppm
TWA: 3.5 mg/m³

Component	Mexico OEL (TWA)
Carbon black	TWA/LMPE-PPT: 3.5 mg/m <sup>2</sup>
1333-86-4	STEL/LMPE-CT: 7 mg/m <sup>3</sup>

### Appropriate engineering controls

### Engineering Measures

Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are advised to consider national Occupational Exposure Limits or other equivalent values. In case of insufficient ventilation, wear suitable respiratory equipment.

### Individual protection measures, such as personal protective equipment

Eye/face Protection	Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Wear suitable face shield. Ensure that eyewash stations and safety showers are close to the workstation location.
Skin Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical			
Physical State	Liquid	Appearance	Colored Liquid
Odor	Characteristic	Odor Threshold	No information available
Property	Values_	Remarks · Method	
Hq		No data available	
Melting point/freezing point		No data available	
Boiling point/Boiling Range	> 149 °C / 300 °F		
Flash Point	82 °C / 180 °F	Closed cup (Minimum)	
Evaporation rate		No data available	
Flammability Limit in Air			
Upper flammability limit		No data available	
Lower flammability limit		No data available	
Vapor Pressure		No data available	
Vapor Density		No data available	
Specific Gravity	1		
Water Solubility		No data available	
Solubility in other solvents		No data available	
Partition coefficient: n-octanol	/water	No data available	
Autoignition Temperature		No data available	
Decomposition temperature		No data available	
Kinematic viscosity		No data available	
Dynamic viscosity		No data available	
Explosive Properties	No data available		
Oxidizing Properties	No data available		
Other Information			
Photochemically Reactive	No		
Weight Per Gallon (lbs/gal)	8.35		
VOC by weight %	VOC by volume %	VOC lbs/gal	VOC grams/liter
(less water)	(less water)	(less_water)	(less water)
92.28	No information available	7.7	923.15

# 10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

# Possibility of Hazardous Reactions None under normal processing.

### Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials\_ Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation	There is no data for this product.
Eve Contact	There is no data for this product.
Skin Contact	There is no data for this product.
Ingestion	There is no data for this product.

Component	Oral LD50
Gamma Butyrolactone 96-48-0	1540 mg/kg (Rat)
Ethylene glycol monobutyl ether acetate 112-07-2	1600 mg/kg (Rat)
Triethylene glycol monobutyl ether 143-22-6	5300 mg/kg (Rat)
Dimethyl Succinate 106-65-0	>5000 mg/kg (Rat)
Carbon black 1333-86-4	>15400 mg/kg (Rat)
Dimethyl Glutarate 1119-40-0	8191 mg/kg (Rat)

Component	LD50 Dermal
Ethylene glycol monobutyl ether acetate 112-07-2	1480 mg/kg (Rabbit)
Triethylene glycol monobutyl ether 143-22-6	3480 mg/kg (Rabbit)
Dimethyl Succinate 106-65-0	>5000 mg/kg (Rabbit)
Carbon black 1333-86-4	>3 g/kg (Rabbit)

Component	Inhalation LC50
Gamma Butyrolactone 96-48-0	>2.68 mg/L (Rat)4 h
Dimethyl Glutarate 1119-40-0	>5.6 mg/L (Rat)4 h

### Information on toxicological effects

Symptoms

There is no data for this product.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	There is no data for this product.
Eye damage/irritation	There is no data for this product.
Irritation	There is no data for this product.
Corrosivity	There is no data for this product.
Sensitisation	There is no data for this product.
Mutagenic Effects	There is no data for this product.
Reproductive Effects	There is no data for this product.

STOT - single exposure STOT - repeated exposure Chronic Toxicity Aspiration hazard Carcinogenicity	There is no data for this product. There is no data for this product. There is no data for this product There is no data for this product. The table below indicates whether	
Component		ACGIH
Ethylene glycol monobutyl ether acetate 112-07-2		A3
Carbon black 1333-86-4		A3
-		
Component		IARC
Carbon black 1333-86-4		Group 2B

Component	OSHA
Carbon black	Х
1333-86-4	

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	4,292.00 mg/kg
ATEmix (dermal)	11,196.00 mg/kg mg/l
ATEmix (inhalation-dust/mist)	17.80 mg/l
ATEmix (inhalation-vapor)	131.00 mg/l

# **12. ECOLOGICAL INFORMATION**

### Ecotoxicity None known

0.06% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants
Gamma Butyrolactone	72h EC50 Desmodesmus subspicatus: 360 mg/L
96-48-0	96h EC50 Desmodesmus subspicatus: 79 mg/L
Ethylene glycol monobutyl ether acetate	72h EC50 Desmodesmus subspicatus: >500 mg/L
112-07-2	
Triethylene glycol monobutyl ether	72h EC50 Desmodesmus subspicatus: 500 mg/L
143-22-6	
Component	Fish
Gamma Butyrolactone 96-48-0	96h LC50 Leuciscus idus: 220 - 460 mg/L [static]
Triethylene glycol monobutyl ether	96h LC50 Leuciscus idus: 2200 - 4600 mg/L [static]
143-22-6	96h LC50 Pimephales promelas: 2400 mg/L
	96h LC50 Pimephales promelas: 2400 mg/L [static]
Dimethyl Succinate	96h LC50 Brachydanio rerio: 50 - 100 mg/L [static]
106-65-0	
Dimethyl Glutarate	96h LC50 Pimephales promelas: 19.6 - 26.2 mg/L [static]
1119-40-0	
Component	Crustacea
Gamma Butyrolactone	48h EC50 Daphnia magna Straus: >500 mg/L
96-48-0	
Triethylene glycol monobutyl ether	48h EC50 Daphnia magna: 500 mg/L
143-22-6	
Carbon black	24h EC50 Daphnia magna: >5600 mg/L
1333-86-4	
Dimethyl Glutarate	48h EC50 Daphnia magna: 122.1 - 163.5 mg/L
1119-40-0	

### Persistence and Degradability

No information available.

### **Bioaccumulation**

No information available.

Component	Partition coefficient
Gamma Butyrolactone	-0.566
96-48-0	
Ethylene glycol monobutyl ether acetate	1.51
112-07-2	
Triethylene glycol monobutyl ether	0.51
143-22-6	
Dimethyl Succinate	0.19
106-65-0	

# Other adverse effects

No information available

### **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Waste Disposal Methods	Contain and dispose of waste according to local regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. TRANSPORT INFORMATION

DOT	Not regulated
Proper Shipping Name	Printing Ink
ICAO / IATA / IMDG / IMO	Not Regulated
Proper Shipping Name	Printing Ink

# **15. REGULATORY INFORMATION**

### **International Inventories**

All components are listed on the TSCA Inventory. For further information, please contact:. Supplier (manufacturer/importer/downstream user/distributor).

### U.S. Federal Regulations

SARA 313 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Diethylene glycol diethyl ether	112-36-7	30 - 60	1.0
Ethylene glycol monobutyl ether acetate	112-07-2	5 - 10	1.0
Triethylene glycol monobutyl ether	143-22-6	1 - 5	1.0

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61) This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:.

Component	CAS-No	Weight %
Diethylene glycol diethyl ether	112-36-7	30 - 60
Ethylene glycol monobutyl ether acetate	112-07-2	5 - 10
Triethylene glycol monobutyl ether	143-22-6	1 - 5

# U.S. State Regulations

Component	Massachusetts Right To Know
Carbon black 1333-86-4	X
Component	Minnesota Right To Know
Carbon black 1333-86-4	X
Component	New Jersev

Component	Right To Know
Diethylene glycol diethyl ether	X
112-36-7	
Ethylene glycol monobutyl ether acetate	X
112-07-2	
Triethylene glycol monobutyl ether	X
143-22-6	
Carbon black	X
1333-86-4	

Component	Pennsylvania Right To Know
Diethylene glycol diethyl ether 112-36-7	X
Ethylene glycol monobutyl ether acetate 112-07-2	X
Triethylene glycol monobutyl ether 143-22-6	x
Carbon black 1333-86-4	X

<u>California Prop. 65</u> This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm

Component	California Prop. 65
Carbon black	Carcinogen

This product contains carbon black in a non-respirable form. Inhalation of carbon black is unlikely to occur from exposure to this product

# **Canada**

Component	NPRI - National Pollutant Release Inventory
Diethylene glycol diethyl ether 112-36-7	Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999
Gamma Butyrolactone 96-48-0	Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999
Ethylene glycol monobutyl ether acetate 112-07-2	Part 5, Other Groups and Mixtures Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999
Dimethyl Succinate 106-65-0	Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999
Dimethyl Glutarate 1119-40-0	Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999

16. OTHER INFORMATION				
HMIS:	Health	Flammability	<b>Reactivity</b>	Personal Protection
	3 *	2	0	X

# Key or legend to abbreviations and acronyms used in the safety data sheet

Legend- Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTIONTWATWA (time-weighted average)STELSTEL (Short Term Exposure Limit)CeilingMaximum limit value

ACGIH: (American Conference of Governmental Industrial Hygienists) A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A3 - Animal Carcinogen IARC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP: (National Toxicity Program) Known - Known Carcinogen Reasonably Anticipated to be a Human Carcinogen OSHA: (Occupational Safety & Health Administration) X - Present

Revision Date	Jun-24-2015
---------------	-------------

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS