

SAFETY DATA SHEET

Print Date Jun-24-2015 We bring ink to life!

Revision Date Jun-24-2015 **Revision Number**

1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product code RMLES - CNL

Product name Roland Eco-Sol Compatible Light Cyan

Product category Ink Product

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use Recommended use Printing operations

Details of the supplier of the safety data sheet

UNITED STATES LiqueColor, Inc. 2108 Research Park Blvd. Norman, OK, 73069 Tel: 1-888-256-7446

Tel: 1-888-256-7446 www.liquecolor.com

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Serious eye damage/eye irritation	Category 2 - (H319)

Label elements



Signal Word Warning

Hazard Statements

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

Hazards not otherwise classified (HNOC)

May be harmful if swallowed. May be harmful in contact with skin. Combustible liquid.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Inhalation

Component	CAS-No	Weight %	Trade Secret	Note
Diethylene glycol diethyl ether	112-36-7	30 - 60	*	
Gamma Butyrolactone	96-48-0	10 - 30	*	
Triethylene glycol monobutyl ether	143-22-6	1 - 5	*	
Dimethyl Succinate	106-65-0	1 - 5	*	
Dimethyl Glutarate	1119-40-0	1 - 5	*	
Ethylene glycol monobutyl ether acetate	112-07-2	1 - 5	*	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention if irritation develops and

persists.

Skin Contact Wash off immediately with soap and plenty of water for at least 15 minutes. Remove

contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention. Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or

stopped, administer artificial respiration. Get medical attention immediately.

Ingestion DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or poison control center immediately.

Most important symptoms and effects, both acute and delayed

None under normal use conditions.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and

clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people

away from and upwind of spill/leak.

Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Use personal protective equipment as required. Do not eat, drink or smoke when using this

product. Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

open flames, hot surfaces and sources of ignition. Keep container closed when not in use.

Keep out of the reach of children.

Incompatible Products Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits

Component	ACGIH TLV
Ethylene glycol monobutyl ether acetate	TWA: 20 ppm
112-07-2	

Component	Ontario TWAEV
Ethylene glycol monobutyl ether acetate	TWA: 20 ppm
112-07-2	

Appropriate engineering controls

Engineering Measures Provide a good standard of general ventilation. Natural ventilation is from doors, windows

etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are advised to consider national Occupational Exposure Limits or other equivalent values. In

case of insufficient ventilation, wear suitable respiratory equipment.

Individual protection measures, such as personal protective equipment

Eye/face Protection Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Wear

suitable face shield. Ensure that eyewash stations and safety showers are close to the

workstation location.

Skin Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Revision Date Jun-24-2015

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid Appearance Colored Liquid

Odor Characteristic Odor Threshold No information available

Property Values Remarks • Method

pH No data available

Melting point/freezing point

No data available

Boiling point/Boiling Range

> 149 °C / 300 °F

Flash Point 82 °C / 180 °F Closed cup (Minimum)

Evaporation rate No data available

Flammability Limit in Air
Unper flammability limit
No data available

Upper flammability limit

Lower flammability limit

No data available

No data available

Vapor Pressure
No data available
Vapor Density
No data available

Vapor Density No data availab Specific Gravity 0.98

Water Solubility

Solubility in other solvents

Partition coefficient: n-octanol/water

No data available
No data available
No data available

Autoignition Temperature

Decomposition temperature

Kinematic viscosity

No data available
No data available
No data available
No data available

Kinematic viscosity
No data available

Dynamic viscosity
No data available

Explosive Properties No data available
Oxidizing Properties No data available

Other Information

Photochemically Reactive No Weight Per Gallon (lbs/gal) 8.2

VOC by weight %	VOC by volume %	VOC lbs/gal	VOC grams/liter
(less water)	(less water)	(less water)	(less water)
` 95.69 <i>´</i>	No information available	7.85	940.23

10. STABILITY AND REACTIVITY

Reactivity

No information available.

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

InhalationThere is no data for this product.Eye ContactThere is no data for this product.Skin ContactThere is no data for this product.IngestionThere is no data for this product.

Component	Oral LD50
Gamma Butyrolactone 96-48-0	1540 mg/kg (Rat)
Triethylene glycol monobutyl ether 143-22-6	5300 mg/kg (Rat)
Dimethyl Succinate 106-65-0	>5000 mg/kg(Rat)
Dimethyl Glutarate 1119-40-0	8191 mg/kg (Rat)
Ethylene glycol monobutyl ether acetate 112-07-2	1600 mg/kg(Rat)

Component	LD50 Dermal
Triethylene glycol monobutyl ether	3480 mg/kg (Rabbit)
143-22-6	
Dimethyl Succinate	>5000 mg/kg (Rabbit)
106-65-0	
Ethylene glycol monobutyl ether acetate	1480 mg/kg (Rabbit)
112-07-2	

Component	Inhalation LC50
Gamma Butyrolactone 96-48-0	>2.68 mg/L (Rat)4 h
Dimethyl Glutarate 1119-40-0	>5.6 mg/L (Rat)4 h

Information on toxicological effects

Symptoms There is no data for this product.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

There is no data for this product. Skin corrosion/irritation There is no data for this product. Eye damage/irritation There is no data for this product. Irritation There is no data for this product. Corrosivity There is no data for this product. Sensitisation There is no data for this product. **Mutagenic Effects** There is no data for this product. **Reproductive Effects** There is no data for this product. STOT - single exposure There is no data for this product. STOT - repeated exposure There is no data for this product **Chronic Toxicity** There is no data for this product. **Aspiration hazard**

<u>Carcinogenicity</u> The table below indicates whether each agency has listed any ingredient as a carcinogen.

Garomogomoty	
Component	ACGIH
Ethylene glycol monobutyl ether acetate	A3
112-07-2	

Numerical measures of toxicity - Product Information

Revision Date Jun-24-2015

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 5,291.00 mg/kg

ATEmix (oral)

30,977.00 mg/kg mg/l ATEmix (dermal)

86.00 mg/l ATEmix (inhalation-dust/mist) 631.00 mg/l ATEmix (inhalation-vapor)

12. ECOLOGICAL INFORMATION

Ecotoxicity

None known

0.04% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants
Gamma Butyrolactone	72h EC50 Desmodesmus subspicatus: 360 mg/L
96-48-0	96h EC50 Desmodesmus subspicatus: 79 mg/L
Triethylene glycol monobutyl ether	72h EC50 Desmodesmus subspicatus: 500 mg/L
143-22-6	
Ethylene glycol monobutyl ether acetate	72h EC50 Desmodesmus subspicatus: >500 mg/L
112-07-2	

Component	Fish
Gamma Butyrolactone 96-48-0	96h LC50 Leuciscus idus: 220 - 460 mg/L [static]
Triethylene glycol monobutyl ether 143-22-6	96h LC50 Leuciscus idus: 2200 - 4600 mg/L [static] 96h LC50 Pimephales promelas: 2400 mg/L 96h LC50 Pimephales promelas: 2400 mg/L [static]
Dimethyl Succinate 106-65-0	96h LC50 Brachydanio rerio: 50 - 100 mg/L [static]
Dimethyl Glutarate 1119-40-0	96h LC50 Pimephales promelas: 19.6 - 26.2 mg/L [static]

Component	Crustacea
Gamma Butyrolactone	48h EC50 Daphnia magna Straus: >500 mg/L
96-48-0	
Triethylene glycol monobutyl ether	48h EC50 Daphnia magna: 500 mg/L
143-22-6	
Dimethyl Glutarate	48h EC50 Daphnia magna: 122.1 - 163.5 mg/L
1119-40-0	

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Component	Partition coefficient
Gamma Butyrolactone	-0.566
96-48-0	
Triethylene glycol monobutyl ether	0.51
143-22-6	
Dimethyl Succinate	0.19
106-65-0	
Ethylene glycol monobutyl ether acetate	1.51
112-07-2	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Contain and dispose of waste according to local regulations. **Waste Disposal Methods**

Contaminated Packaging

Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

Not regulated DOT Printing Ink **Proper Shipping Name**

Not Regulated ICAO / IATA / IMDG / IMO Printing Ink **Proper Shipping Name**

15. REGULATORY INFORMATION

International Inventories

All components are listed on the TSCA Inventory. For further information, please contact:. Supplier (manufacturer/importer/downstream user/distributor).

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations. Part 372.

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Diethylene glycol diethyl ether	112-36-7	30 - 60	1.0
Triethylene glycol monobutyl ether	143-22-6	1 - 5	1.0
Ethylene glycol monobutyl ether acetate	112-07-2	1 - 5	1.0

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)
This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air

Component	CAS-No	Weight %
Diethylene glycol diethyl ether	112-36-7	30 - 60
Triethylene glycol monobutyl ether	143-22-6	1 - 5
Ethylene glycol monobutyl ether acetate	112-07-2	1 - 5

U.S. State Regulations

Component	New Jersey Right To Know
Diethylene glycol diethyl ether 112-36-7	X
Triethylene glycol monobutyl ether 143-22-6	Х
Ethylene glycol monobutyl ether acetate 112-07-2	х

Component	Pennsylvania Right To Know
Diethylene glycol diethyl ether 112-36-7	X
Triethylene glycol monobutyl ether 143-22-6	X
Ethylene glycol monobutyl ether acetate 112-07-2	X

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects

Canada

Component	NPRI - National Pollutant Release Inventory
Diethylene glycol diethyl ether 112-36-7	Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999
Gamma Butyrolactone 96-48-0	Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999
Dimethyl Succinate 106-65-0	Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999
Dimethyl Glutarate 1119-40-0	Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999
Ethylene glycol monobutyl ether acetate 112-07-2	Part 5, Other Groups and Mixtures Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999

16. OTHER INFORMATION

HMIS: Health Flammability Reactivity Personal Protection

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen
A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated to be a Human Carcinogen
OSHA: (Occupational Safety & Health Administration)

X - Present

Revision Date Jun-24-2015

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS