

SAFETY DATA SHEET

Print Date Jul-28-2015 We bring ink to life!

Revision Date Jul-28-2015 Revision Number 1.1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product code Product name Product category

RMAX2 - MGL Roland Eco-Sol Max 2 Compatible Light Magenta 202 Series Inkjet Ink

<u>Other means of identification</u> Synonyms

Recommended use of the chemical and restrictions on useRecommended usePrinting operations

None

Details of the supplier of the safety data sheet UNITED STATES LiqueColor, Inc. 2108 Research Park Blvd.

2108 Research Park Blvd Norman, OK, 73069 Tel: 1-888-256-7446 www.liquecolor.com

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation

Category 2 - (H319)

Label elements



Hazard Statements H319 - Causes serious eye irritation

Hazards not otherwise classified (HNOC)

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Component	CAS-No	Weight %	Trade Secret	Note
Diethylene glycol diethyl ether	112-36-7	30 - 60	*	
Diethylene Glycol Methyl Ethyl Ether	1002-67-1	30 - 60	*	
Gamma Butyrolactone	96-48-0	10 - 30	*	

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice Eye Contact	Show this safety data sheet to the doctor in attendance. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops and persists.
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention.
Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Get medical attention immediately.
Ingestion	DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Most important symptoms and effects, both acute and delayed None under normal use conditions.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use. Keep out of the reach of children.

```
Incompatible Products Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.
```

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Measures	Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are advised to consider national Occupational Exposure Limits or other equivalent values. In case of insufficient ventilation, wear suitable respiratory equipment.
Individual protection measures, su	ch as personal protective equipment
Eye/face Protection	Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Wear suitable face shield. Ensure that eyewash stations and safety showers are close to the workstation location.
Skin Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic ph	ysical and chemical properties
Physical State	Liquid
Odor	Characteristic

Appearance Odor Threshold Colored Liquid No information available

<u>Property</u> pH Melting point/freezing point Boiling point/Boiling Range Flash Point Evaporation rate	<u>Values</u> > 149 °C / 300 °F 64 °C / 147 °F	<u>Remarks </u>	n)
Flammability Limit in Air Upper flammability limit Lower flammability limit Vapor Pressure Vapor Density		No data available No data available No data available No data available No data available	
Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octanol Autoignition Temperature Decomposition temperature Kinematic viscosity Dynamic viscosity	0.96 /water	No data available No data available No data available No data available No data available No data available No data available	
Explosive Properties Oxidizing Properties	No data available No data available		
Other Information			
Photochemically Reactive Weight Per Gallon (Ibs/gal)	No 7.98		
VOC by weight % (less water) 63.64	VOC by volume % (less water) 63.89	VOC lbs/gal (less water) 5.09	VOC grams/liter (less water) 609.55

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

<u>Conditions to avoid</u> Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials_ Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	There is no data for this product.
Eye Contact	There is no data for this product.
Skin Contact	There is no data for this product.
Ingestion	There is no data for this product.

Component	Oral LD50
Gamma Butyrolactone	1540 mg/kg (Rat)
96-48-0	

Component	Inhalation LC50
Gamma Butyrolactone	>2.68 mg/L (Rat)4 h
96-48-0	

Information on toxicological effects

Symptoms

There is no data for this product.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Eye damage/irritation Irritation Corrosivity Sensitisation Mutagenic Effects Reproductive Effects STOT - single exposure STOT - repeated exposure Chronic Toxicity Aspiration hazard Carcinogenicity	There is no data for this product. There is no data for this product.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)10,267.00 mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity None known

0.04% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants
Gamma Butyrolactone 72h EC50 Desmodesmus subsp	
96-48-0	96h EC50 Desmodesmus subspicatus: 79 mg/L
Component	Fish
Gamma Butyrolactone	96h LC50 Leuciscus idus: 220 - 460 mg/L [static]
96-48-0	
Component	Crustacea

48h EC50 Daphnia magna Straus: >500 mg/L

Persistence and Degradability

No information available.

Bioaccumulation

Gamma Butyrolactone

96-48-0

No information available.

Component	Partition coefficient
Gamma Butyrolactone	-0.566
96-48-0	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods	Contain and dispose of waste according to local regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

<u>DOT</u>	Not regulated
Proper Shipping Name	Printing Ink
ICAO / IATA / IMDG / IMO	Not Regulated
Proper Shipping Name	Printing Ink

15. REGULATORY INFORMATION

International Inventories

All components are listed on the TSCA Inventory. For further information, please contact:. Supplier (manufacturer/importer/downstream user/distributor).

U.S. Federal Regulations

SARA 313 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Diethylene glycol diethyl ether	112-36-7	30 - 60	1.0
Diethylene Glycol Methyl Ethyl Ether	1002-67-1	30 - 60	1.0

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:.

Component	CAS-No	Weight %
Diethylene glycol diethyl ether	112-36-7	30 - 60
Diethylene Glycol Methyl Ethyl Ether	1002-67-1	30 - 60

U.S. State Regulations

Diethylene glycol diethyl ether

Component	New Jersey Right To Know	
Diethylene glycol diethyl ether 112-36-7	X	
Diethylene Glycol Methyl Ethyl Ether 1002-67-1	X	
Component	Pennsvivania	

Right To Know

Х

112-36-7	
Diethylene Glycol Methyl Ethyl Ether	X
1002-67-1	

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects

Canada

Component	NPRI - National Pollutant Release Inventory	
Diethylene glycol diethyl ether	Part 4 Substance as set out in Section 65 of the List of Tox	
112-36-7	Substances in Schedule 1 of the Canadian Environmental	
	Protection Act, 1999	
Gamma Butyrolactone	Part 4 Substance as set out in Section 65 of the List of Toxic	
96-48-0	Substances in Schedule 1 of the Canadian Environmental	
	Protection Act, 1999	

16. OTHER INFORMATION				
HMIS:	Health 3 *	Flammability 2	Reactivity 0	Personal Protection X
Key or legend to abbrevia	ations and acrony	rms used in the safety da	ita sheet	
Legend - Section 8: EXPOS TWA STEL Ceiling	TWA (time	-weighted average) rt Term Exposure Limit)		
ACGIH: (American Conference of Governmental Industrial Hygienists) A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A3 - Animal Carcinogen IARC: (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans MTP: (National Toxicity Program) Known - Known Carcinogen Reasonably Anticipated to be a Human Carcinogen OSHA: (Occupational Safety & Health Administration) X - Present				
Revision Date	Jul-28-201	5		

Revision Date

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS